

SOL

A CJS BRAND INSPIRE
DECOR SPACE



FLOORING SPECIFICATION CATALOGUE

2026-2027 EDITION

FOR ARCHITECTURE & INTERIOR DESIGN

Your Specification. Our Product. Shared Excellence



SPC



LUXURY VINYL PLANKS



LAMINATE FLOORING



BELGIAN WATERPROOF



ENGINEERED WOOD



CARPET TILES





COMPANY PROFILE

About SOL FLOORING

SOL is a premium flooring brand importing SPC, Luxury Vinyl Planks, Laminate, UnilinBelgium waterproof laminate, engineered wood and carpet tiles — with dedicated specification support for architects and interior designers, and PAN India supply and installation.

This catalogue covers all 16 SOL collections with full technical specifications, application guidance and QR codes linking to individual product PDFs.

SERVICE	WHAT YOU GET
WhatsApp Sample Request	Curated sample set couriered within 48 hours
Technical Drawing / DXF	Available on request for critical installation areas
Site Visit Before Specification	Our technical team assesses your subfloor
Specification Sign-Off Letter	Written product suitability confirmation for your records
Dedicated A&D Contact	One point of contact from specification to installation



01

PRODUCT
CATAGORIES



Choosing the right category **BEFORE YOU SPECIFY AESTHETICS.**

Six construction types, each engineered for a different balance of moisture, footfall and finish. Start here, then narrow by look.

CATEGORY	TYPE	BEST APPLICATION	KEY APPLICATION
SPC	Stone Plastic Composite	Commercial · Wet Areas · High Footfall	100% waterproof, dimensionally stable
LVT	Luxury Vinyl Tile /Plank	Residential · Hospitality · Retail	Authentic wood & stone visuals
Laminate	HDF-core wood-look	Residential · Low-humidity Commercial	Cost-effective, warm aesthetics
Waterproof Laminate	Aqua Protect HDF · Unilin Belgium	All rooms incl. kitchens & bathrooms	25-yr warranty, EU Ecolabel, A+ VOC
Engineered Wood	Real wood veneer on HDF	Luxury Residential · Boutique Hotels	Genuine wood surface
Carpet Tiles	Modular Textile	Office · Hospitality · Education	Acoustic, replaceable, flexible



02

**SUSTAINABILITY
MATRIX**

Matching Product to PROJECT AT A GLANCE

YES- Ideal First Choice OK- Suitable — Not Suitable

PROJECT TYPE	SPC	LVT	Laminate	WP Laminate	Eng. Wood	Carpet Tiles
Luxury Residential	Yes	Yes	Yes	Yes	Yes	Bedroom
Corporate Office	Yes	OK	Yes	Yes	Yes	Yes
Hotel Rooms	Yes	Yes	Yes	Yes	Yes	Yes
Retail / Showroom	Yes	OK	Yes	Yes	Yes	—
Healthcare	Yes	Yes	—	—	—	—
Education	Yes	Yes	OK	OK	—	Yes
Wet Areas	Yes	OK*	—	Yes	—	—

* Sealed installations only. WP Belgium = Unilin Vitality with Aqua Protect.
Always verify subfloor moisture before specification



03

PRODUCT
RANGE



16

Collections, Fully Specified.

Specifications, colour ranges and QR downloads for all 16 SOL collections. Each QRlinks to the individual product PDF for detailed drawings and installation notes.



SCAN TO
DOWNLOAD
FULL PRODUCT PDF



01/16

HYBRID VINYL

3MM HYBRID VINYL PLANKS

WATERPROOF

CLICK-LOCK

Product code	HVP-3MM
Category	Hybrid Vinyl
Total thickness	3mm
Wear layer / grade	0.3 mm
Installation	Click-lock floating
Plank / tile size	7.2" × 48"
Box coverage	41 sq ft / box
Water resistance	Waterproof
Warranty	10 Yr Residential · 5 Yr Commercial

41 ft²

PER BOX

0.3 mm

WEAR LAYER

3mm

THICKNESS

COLOUR OPTIONS



Natural Oak



Smoked Walnut



Grey Stone



Warm Beach

BEST SPECIFIED FOR

Luxury Residential

Boutique Retail

Serviced Apartments



SCAN TO
DOWNLOAD
FULL PRODUCT PDF



02/16

LAMINATE

3MM LEGACY SERIES

AC-4 GRADE

GERMAN-LOCK

Product code	LM-12MM
Category	Laminate
Total thickness	12mm
Wear layer / grade	AC-4 Grade
Installation	Click-lock (German Lock)
Plank / tile size	8" × 48"
Box coverage	15.6 sq ft / box
Water resistance	Wax-coated lock
Warranty	10 Yr Residential · 5 Yr Commercial

15.6 ft²
PER BOX

AC-4
GRADE

12mm
THICKNESS

COLOUR OPTIONS



Royal Oak (12001)



Red Cedar (12002)



American Mahogany (12003)



Mexican Gray(12004)

BEST SPECIFIED FOR

Luxury Residential

Boutique Retail

Hotel Rooms



SCAN TO
DOWNLOAD
FULL PRODUCT PDF



03 / 16

SPC · STONE PLASTIC COMPOSITE

6.5MM SPC VIETNAM

100% WATERPROOF 0.5MM WEAR LAYER

Product code	SPC-6.5MM
Category	SPC · Stone Plastic Composite
Total thickness	6.5 mm with foam backing
Wear layer / grade	0.5 mm (20 mil)
Installation	Click-lock (Unilin)
Plank / tile size	7.2" × 48"
Box coverage	24 sq ft / box
Water resistance	100% Waterproof
Warranty	10 Yr Residential · 5 Yr Commercial

100%
WATERPROOF

0.5mm
WEAR THICKNESS

6.5mm
THICKNESS

COLOUR OPTIONS

- Mahogany (6101)

Sandy Oak (6102)
- Coffee Wood (6103)

BEST SPECIFIED FOR

Wet Areas Commercial Hotel Corridors Healthcare



SCAN TO
DOWNLOAD
FULL PRODUCT PDF



04/16

LAMINATE . WATERPROOF

AQUATIC SERIES

WATERPROOF HDF

AC-4 GRADE

Product code	AQ-8MM
Category	Laminate · Waterproof
Total thickness	8 mm
Wear layer / grade	AC-4 Grade
Installation	Click-lock (German Lock)
Plank / tile size	8" × 48"
Box coverage	20.8 sq ft / box
Water resistance	Black HDF + Wax coating
Warranty	10 Yr Residential · 5 Yr Commercial

AC-4
GRADE

BLACK HDF
CORE

8mm
THICKNESS

COLOUR OPTIONS

- | | |
|--|--|
|  Country Walnut (WP101) |  Sunrise Teak (WP102) |
|  Mocha Teak (WP103) |  Classic Oak (WP104) |

BEST SPECIFIED FOR

Costal Properties

Kitchen

Bathrooms

Wet Areas



SCAN TO
DOWNLOAD
FULL PRODUCT PDF



05/16

LAMINATE

Classic Premium Vietnam

UNILIN LOCK AC-4 GRADE

Product code	CL-PREM-8MM
Category	Laminate
Total thickness	8 mm
Wear layer / grade	AC-4 Grade
Installation	Click-lock (Unilin)
Plank / tile size	7.75" × 48"
Box coverage	25 sq ft / box
Water resistance	Wax-coated lock
Warranty	10 Yr Residential · 5 Yr Commercial

AC-4
GRADE

25 ft²
PER BOX

8mm
THICKNESS

COLOUR OPTIONS

- Smokey Teak (CL1021)
- Espresso Walnut (CL1022)
- Golden Oak (CL1023)
- Royal Cherry (CL1024)
- Natural Oak (CL1025)

BEST SPECIFIED FOR

Luxury Residential Boutique Retail Hospitality



**SCAN TO
DOWNLOAD**
FULL PRODUCT PDF



06/16

LAMINATE

Classic Series

GERMAN LOCK

AC-4 GRADE

Product code	CL-PREM-8MM
Category	Laminate
Total thickness	8 mm
Wear layer / grade	AC-4 Grade
Installation	Click-lock (German Lock)
Plank / tile size	8" × 48"
Box coverage	20.76 sq ft / box
Water resistance	Wax-coated lock
Warranty	10 Yr Residential · 5 Yr Commercial

AC-4
GRADE

20.76 ft²
PER BOX

8mm
THICKNESS

COLOUR OPTIONS

- | | |
|---|---|
|  American Teak (CL1010) |  Wenge (CL1012) |
|  Turkish Walnut (CL1013) |  Merbau (CL1014) |
|  Classic Oak (CL1015) | |

BEST SPECIFIED FOR

Mid-range Residential

Education

Office



SCAN TO
DOWNLOAD
FULL PRODUCT PDF



07/16

HYBRID VINYL / LAMINATE

Designer Series 8mm

WIDE FORMAT 15.8"

EIR TEXTURE

Product code DS-8MM

Category Hybrid Vinyl / Laminate

Total thickness 8 mm

Wear layer / grade AC-4 Grade

Installation Click-lock floating

Plank / tile size 15.8" × 48"

Box coverage 31.5 sq ft / box

Water resistance EIR Matt finish + U-groove

Warranty 10 Yr Residential

15.8"

WIDTH

31.5 ft²

PER BOX

EIR MATT

FINISH

COLOUR OPTIONS



Prague Oak (DS4001)



Vienna Walnut (DS4002)



Heritage Teak (DS4003)



Golden Parquet (DS4004)



Greywood Parquet (DS4005)



Nordic Artisan Oak (DS4006)

BEST SPECIFIED FOR

High-end Retail Design

Luxury Residential

Hospitality Suites

Studios



SCAN TO
DOWNLOAD
FULL PRODUCT PDF



08/16

LAMINATE

European Series 8mm

AC-4 GRADE

EUROPEAN MADE

Product code	EU-8MM
Category	Laminate
Total thickness	8 mm
Wear layer / grade	AC-4 Grade
Installation	Click-lock floating
Plank / tile size	7.8" × 48"
Box coverage	20.76 sq ft / box
Water resistance	Wax-coated joints
Warranty	10 Yr Residential

MATT EMBOSS
FINISH

8 PLANKS
PER BOX

8mm
THICKNESS

COLOUR OPTIONS



Natural Linen Oak (EU5011)



Autumn Maple (EU5012)



Golden Teak Classic (EU5013)



Frosted Nordic Oak (EU5014)

BEST SPECIFIED FOR

Co-working Spaces

Luxury Residential

Boutique Hospitality



SCAN TO
DOWNLOAD
FULL PRODUCT PDF



09/16

LAMINATE · PATTERN

Herringbone Series

6 DESIGNS

HERRINGBONE

Product code	HB-8MM
Category	Laminate · Pattern
Total thickness	8 mm
Wear layer / grade	AC-4 Grade
Installation	Click-lock (German Lock)
Plank / tile size	101 × 606 mm
Box coverage	35.5 sq ft / box
Water resistance	HDF board
Warranty	10 Yr Residential · 5 Yr Commercial

AC-4
GRADE

6
PATTERNS

35.5 ft²
THICKNESS

COLOUR OPTIONS



Pattern 1



Pattern 4



Pattern 2



Pattern 5



Pattern 3



Pattern 6

BEST SPECIFIED FOR

High-end Retails

Luxury Entryways

Boutique Hotels



SCAN TO
DOWNLOAD
FULL PRODUCT PDF



10/16

LVT · LUXURY VINYL TILE

Luxury Vinyl Planks 1.5mm

48 FT² / BOX

WATERPROOF

Product code	LVP-1.5MM
Category	LVT · Luxury Vinyl Tile
Total thickness	1.5 mm
Wear layer / grade	0.1 mm
Installation	Glue-down
Plank / tile size	6" × 36"
Box coverage	48 sq ft / box
Water resistance	100% Waterproof
Warranty	5 Yr Residential

GLUE DOWN
INSTALLATION

1.5 mm
PATTERNS

48 ft²
PER BOX

COLOUR OPTIONS

- Silver Grey (#1506)
- Mocha (#1503)
- Azeri Mahogany (#1505)
- Ash Blonde (#1504)

BEST SPECIFIED FOR

- Budget Residential
- Light Commercial
- Rental Properties



SCAN TO
DOWNLOAD
FULL PRODUCT PDF



11/16

LVT · LUXURY VINYL TILE

Luxury Vinyl Planks 2mm

UFH COMPATIBLE

WATERPROOF

Product code	LVP-2MM
Category	LVT · Luxury Vinyl Tile
Total thickness	2 mm
Wear layer / grade	0.15–0.20 mm
Installation	Glue-down
Plank / tile size	6" × 36"
Box coverage	36 sq ft / box
Water resistance	100% Waterproof
Warranty	7 Yr Residential · 3 Yr Commercial

100%
WATERPROOF

2 mm
THICKNESS

0.15-0.20mm
WEAR LAYER

COLOUR OPTIONS

- | | |
|---|---|
|  Australian IPE (#1009) |  African Oak (#1003) |
|  Sri Lankan Walnut (#1007) |  Steel Grey (#1004) |

BEST SPECIFIED FOR

Residential Light

Commercial

Underfloor Heating Zones



SCAN TO
DOWNLOAD
FULL PRODUCT PDF



12/16

CARPET TILES

Premium Carpet Tiles

MODULAR

FIRE RATED

ACOUSTIC

Product code

CT-50

Category

Carpet Tiles

Total thickness

5–6 mm pile

Wear layer / grade

Eco-backing

Installation

Glue-down / Loose-lay

Plank / tile size

50 × 50 cm

Box coverage

Modular

Water resistance

N/A

Warranty

5 Yr Commercial

5 YEARS
COMMERCIAL

MODULAR
PROFILE

50 x 50 cm
TILE SIZE

COLOUR OPTIONS



Multiple colourways -
contact A&D desk

BEST SPECIFIED FOR

Hospitality Lounge

Corporate Office

Co-working

Education



SCAN TO
DOWNLOAD
FULL PRODUCT PDF



13/16

ENGINEERED WOOD FLOORING

Engineered Flooring

RUSSIAN OAK

REAL WOOD VENEER

Product code	ENG-14MM
Category	Engineered Wood Flooring
Total thickness	14 mm (2 mm veneer)
Wear layer / grade	2 mm Russian Oak veneer
Installation	Click-lock / Glue-down
Plank / tile size	7.2" × 48"
Box coverage	28 sq ft / box
Water resistance	Not for wet areas
Warranty	10 Yr Residential · 5 Yr Commercial

2mm OAK
THICKNESS

MATT OIL
FINISH

14 mm
THICKNESS

COLOUR OPTIONS



Russian Oak Grey Washed



Russian Oak Natural



Russian Oak White Oiled



Russian Oak Smoked

BEST SPECIFIED FOR

Luxury Residential

Executive Offices

High-end Retail

Boutique Hotels



SCAN TO
DOWNLOAD
FULL PRODUCT PDF



14/16

WATERPROOF LAMINATE · UNILIN BELGIUM

Vitality Deluxe

25-YR WARRANTY

AQUA PROTECT

MADE IN BELGIUM

Product code	VIT-DELUXE-8MM
Category	Waterproof Laminate · Unilin Belgium
Total thickness	8 mm
Wear layer / grade	AC4 Class 32
Installation	Patented Uniclic click system
Plank / tile size	1261 × 192 mm
Box coverage	23.5 sq ft / box
Water resistance	Aqua Protect — fully waterproof
Warranty	25 Yr Res · 15 Yr Comm · 5 Yr Wet

8mm
THICKNESS

AC4 · Class 32
GRADE

5 YEARS
WET WARRANTY

COLOUR OPTIONS

- White Oiled Oak (DEF00304)
- Natural Varnished Oak (DEF00378)
- Sunset Oak (DEF00387)
- Spring Oak (DEF00553)
- Greenwich Oak (DEF00569)
- Provence Oak (DEF00557)
- Newport Oak (DEF00567)

BEST SPECIFIED FOR

All high-humidity rooms Bathrooms Wet Zones Kitchens



SCAN TO
DOWNLOAD
FULL PRODUCT PDF

15/16

WATERPROOF LAMINATE · UNILIN BELGIUM

Vitality Style

MADE IN BELGIUM AQUA PROTECT 4-SIDE V-GROOVE

Product code	VIT-STYLE-8MM
Category	Waterproof Laminate · Unilin Belgium
Total thickness	8 mm
Wear layer / grade	AC4 Class 32
Installation	Uniclic click system
Plank / tile size	1261 × 192 mm
Box coverage	23.5 sq ft / box
Water resistance	Aqua Protect — fully waterproof
Warranty	25 Yr Res · 15 Yr Comm · 5 Yr Wet

8mm
THICKNESS

AC4 · Class 32
GRADE

4 SIDE - V
GROOVES

COLOUR OPTIONS

- White Oiled Oak (DEF00304)

Natural Varnished Oak (DEF00378)

Sunset Oak (DEF00387)

Spring Oak (DEF00553)

Greenwich Oak (DEF00569)

Provence Oak (DEF00557)

Newport Oak (DEF00567)

BEST SPECIFIED FOR

Living Rooms Bedrooms Kitchen Open-plans



SCAN TO
DOWNLOAD
FULL PRODUCT PDF



16/16

WATERPROOF LAMINATE · UNILIN BELGIUM

Vitality Jumbo Wide Plank

MADE IN BELGIUM

AQUA PROTECT

WIDE PLANK

Product code	VIT-JUMBO-8MM
Category	Waterproof Laminate · Unilin Belgium
Total thickness	8 mm
Wear layer / grade	AC4 Class 32
Installation	Wide Plank · 4V-grooves
Plank / tile size	1261 × 192 mm
Box coverage	26.5 sq ft / box
Water resistance	Aqua Protect — fully waterproof
Warranty	25 Yr Res · 15 Yr Comm · 5 Yr Wet

8mm

THICKNESS

WIDE PLANK

FORMAT

4 SIDE - V

GROOVES

COLOUR OPTIONS



Salt Lake Oak (JUM00133APL)



Sand Oak (JUM00421APL)



Taylor Oak (JUM00221APL)



Garda Oak (JUM00391APL)

BEST SPECIFIED FOR

Master Bedrooms

Hotel Suites

Statement Spaces

Luxury Open-plans



04

TECHNICAL
REFERENCE

Specification parameters BY CATEGORY

UNILIN BELGIUM · VITALITY WATERPROOF SERIES

Manufactured by Unilin — the world's leading flooring manufacturer — in Belgium. Carries EU Ecolabel, PEFC certification and an A+ VOC rating.

Total thickness	8mm
Wear layer / grade	AC4 · Class 32
Click system	Uniclic (Unilin patented)
Plank size (Deluxe & Style)	1261 × 192 mm (≈ 7.6" × 49.6")
Plank format (Jumbo)	Wide plank
Water resistance	Aqua Protect — 100% waterproof incl. wet areas
Residential warranty	25 years
Commercial warranty	15 years
Wet-area warranty	5 years
Surface finish	True-to-Nature · Embossed in Register (EIR)
Groove options	Deluxe: flat · Style & Jumbo: 4-side V-groove
Anti-static	Permanent anti-static treatment
VOC emissions	A+ rating (very low)
Certifications	EU Ecolabel · PEFC · CE / UKCA
Origin	Made in Belgium

SPC SPECIFICATION

Total thickness	6.5 mm
Wear layer	0.5 mm commercial
Core	100% waterproof stone-plastic composite
Warranty	10 yr residential · 5 yr commercial

ENGINEERED WOOD SPECIFICATION

Total thickness	14 mm
Veneer layer	2 mm solid Russian Oak
Surface finish	Matt Oil · Wire Brush · UV Coated
Plank size	7.2" × 48"
Water resistance	Not for wet areas
Warranty	10 yr residential · 5 yr commercial



JINESH SHETH

A&D SPECIFICATION LEAD

✉ jinesh.sheth@cjsheth.com

🌐 www.solflooring.in 📷 [@c_j_sheth](https://www.instagram.com/cj_sheth)

Your
*specification
partner.*