

SOL[®]

6.5mm
Luxury SPC Flooring



Inspire Decor Space

6.5mm Thickness

0.5mm Wear Layer

Water Proof, Fire Proof

Real Wood Surface

Unilin click, Virgin Material

UV Coated, Anti Skid

Easy Installation, Low Carbon Footprint



100 %
RECYCLABLE



ANTI
BACTERIA



ANTI
TERMITE



PROVIDE
COMFORTABLE
FEELING



SCATCH
RESISTANCE



WATER
RESISTANCE

SOL[®]

6101 - MAHOGANY



SOL[®]

6102 - SANDY OAK



SOL[®]

6103 - COFFEE WOOD



SOL[®]

6104 - MALIBU



SOL[®]

6105 - GOLDEN WOOD



SOL[®]

6106 - NATURAL OAK



SOL[®]

6107 - LAGUNA



SOL[®]

6108 - SOUTHERN OAK



SOL[®]

6109 - BURNT HICKORY



SOL[®]

6110 - PALERMO SLATE



SOL[®]

6111 - MIDWAY



SOL[®]


6112 - TUMBLED CARRARA



SOL[®]

Technical Details

DIMENSION		1220 X 183 mm
THICKNESS		5 mm + 1.5 mm IXPE = 6.5mm
1 Box		24 Square feet
WEAR LAYER		0.5 mm
SUPPORT		Grey Core SPC
PROFILE		click
SLIP RESISTANCE	EN 1815	DS
ELECTROSTATIC VOLTAGE	EN 1401	antistatic
STAIR ROLLS	EN 425	passed
WEAR RESISTANCE	EN 660-2	Group T
FIRE RESISTANCE	EN 13501	Bfl S1
PACKAGE		2.22 m ²



100 %
RECYCLABLE



ANTI
BACTERIA



ANTI
TERMITE



PROVIDE
COMFORTABLE
FEELING



SCATCH
RESISTANCE



WATER
RESISTANCE

Distributed by.: